



Attorney Docket No. 1293.1942

co/c

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of:

Nam-jeong LEE et al.

Application No.: 10/681,324

ATTENTION

Confirmation No.: 3367

CERTIFICATE OF CORRECTION

Filed: October 9, 2003

BRANCH

U.S. Patent No.: 7,172,843

Issued: February 6, 2007

For: COMPOSITION FOR OVERCOAT LAYER OF ORGANOPHOTORECEPTOR,
ORGANOPHOTORECEPTOR MANUFACTURED BY EMPLOYING THE SAME AND
THE ELECTROPHOTOGRAPHIC IMAGING APPARATUS CONTAINING THE SAME

REQUEST FOR CERTIFICATE OF CORRECTION

Commissioner for Patents
PO Box 1450
Alexandria, VA 22313-1450

Sir:

Patentee(s) respectfully request(s) that a Certificate of Correction be issued in the subject patent, pursuant to 35 U.S.C. §254 and 37 C.F.R. §1.322, to correct the mistake(s) shown on the attached Form PTO-1050.

Since the mistakes are Patent Office mistakes, it is believed that no fee is required.

Respectfully submitted,

STAAS & HALSEY LLP

Date:

April 13, 2007

By:

Gene M. Garner, II
Registration No. 34,172

Certificate

1201 New York Ave, N.W., 7th Floor
Washington, D.C. 20005
Telephone: (202) 434-1500
Facsimile: (202) 434-1501

APR 17 2007

of Correction

APR 17 2007

17 2007

UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF CORRECTION

PATENT NO : 7,172,843

DATED : February 6, 2007

INVENTOR(S) : Nam-jeong LEE et al.

Column 12, Line 28, after "substrate," insert --a photosensitive layer formed
on the electrically conductive substrate,--.

MAILING ADDRESS OF SENDER:

STAAS & HALSEY LLP
1201 New York Ave., N.W.
7th Floor
Washington, DC 20005

PATENT NO. 7,172,843

No. of add'l copies
@ 50¢ per page

⇒

APR 17 2007